




Out - Swing Door Application



EL-BKL (L Bracket)

- ➤ L Bracket available for Elock-300, 600, 800S and 1200 series
- Adjustable "L" bracket for outward door when the header is narrow
- ➤ IP Rating: IP65





Model Number & Key Dimension: -

Model Number	Size (mm)	Used with
EL-BK-L300	170L x 25W x 38H	Elock-300 series
EL-BK-L600	250L x 38W x 38H	Elock-600 series
EL-BK-L800S	220L x 50W x 50H	Elock-800 series
EL-BK-L1200	266L x 50W x 50H	Elock-1200 series




Kyodensha Technologies (M) Sdn Bhd (2057536-M) Digit Innovation Technologies (M) Sdn Bhd (646972-U)

No. 12A Jalan PPU3A, Pusat Teknologi Sinar Puchong 47150 Puchong Selangor, Malaysia TEL +603-8066 4636 +603-8051 5788 FAX +603-8051 4919


WEB www.elock2u.net EMAIL enquiry@elock2u.net


Dimension:

Elock-300










Elock-600






Kyodensha Technologies (M) Sdn Bhd (2057536-M) Digit Innovation Technologies (M) Sdn Bhd (646972-U)


No. 12A Jalan PPU3A, Pusat Teknologi Sinar Puchong 47150 Puchong Selangor, Malaysia TEL +603-8066 4636 +603-8051 5788 FAX +603-8051 4919 WEB www.elock2u.net

enquiry@elock2u.net


EMAIL

Elock-800S










Elock-1200





Kyodensha Technologies (M) Sdn Bhd (2057536-M) Digit Innovation Technologies (M) Sdn Bhd (646972-U)

No. 12A Jalan PPU3A, Pusat Teknologi Sinar Puchong 47150 Puchong Selangor, Malaysia TEL +603-8066 4636 +603-8051 5788 FAX +603-8051 4919

WEB www.elock2u.net EMAIL enquiry@elock2u.net