

EL-PT4510 WATERPROOF TOUCH EXIT BUTTON




EL-PT4510 Waterproof Touch Exit Button combines sleek design with industrial-grade durability. Made with a high-strength aluminium frame and tempered glass, it outperforms typical plastic models.

With an IP67 rating, it's dust-tight and waterproof—ideal for both indoor and outdoor use. It supports NO/NC/COM contact outputs, runs on DC12V/24V, and integrates easily into wired access control systems.

Tested for over 1,000,000 cycles, it ensures long-term reliability. The compact size 115 (H) x 10 (D) x 45 (W) mm fits modern, narrow installations, making it a robust and stylish exit solution.

EXIT BUTTON SERIES



| | |
|------------------|---------------------------------------|
| Power Supply | DC12V / DC24V |
| Contact Type: | N.O/ N.C/ COM |
| Frequency: | 433.92 MHZ |
| Material: | Aluminium Frame+ Tempered Glass Panel |
| IP Rating: | IP67 (Dust Tight & Waterproof 1m) |
| Mechanical Life: | 1,000,000 Tested Aging Test Qualified |
| LED: | Static |
| Dimension: | 115 (H) x 10 (D) x 45 (W) mm |

EXIT BUTTON SERIES

Connection Diagram




| | | |
|---|--------|---------|
| 1 | WHITE | Lock NO |
| 2 | GREEN | Lock NC |
| 3 | YELLOW | COM |
| 4 | BLACK | GND |
| 5 | RED | 12 VDC |

PROGRAMMING BUTTON

KEEP NOTE:

Only turn on the power after the installation is done, do not connect the NC wire and wrap it. Pull out all wires and do not put all wires inside the switch to prevent interference or short circuit.

Wiring Diagram



Waterproof

IP67-Rated: Fully dust-tight and waterproof up to 1 meter depth for 30 minutes, making it ideal for outdoor use.

