

## EL-T1103MFW TOUCH ACCESS KEYPAD CONTROLLER



The EL-T1103MFW Touch Access Keypad Controller is a compact and durable access control solution designed for secure and convenient door entry. Featuring a touch keypad with Mifare card support, it allows access via PIN or card, making it suitable for offices, residential buildings, and commercial premises.

Built with a metal anti-vandal housing and rated IP68 (dust-tight and waterproof up to 1 metre), the EL-T1103MFW is ideal for both indoor and outdoor installations, even in harsh environments. With a user capacity of up to 2,000 cards or PINs, it offers reliable performance for medium-scale access control applications.

The unit supports 26-bit Wiegand interface and can operate as a standalone controller or be integrated with the MX63 Elock X Access Controller, providing flexibility for system expansion.

# ACCESS CONTROL SERIES



Card Type:	13.56MHz Mifare Card
Reading Distance:	20~50mm (2") max
Input Voltage :	DC12V
IP Rating:	IP68 ( Dust Tight & Waterproof 1m)
User Capacity:	2000 cards / pins
Wiegand Interface:	26 bits
Material:	Metal Housing (Anti-Vandal)
Door Open Options:	Pin/ Card
Can Be Paired With:	MX63 Elock X Access Controller/ Standalone
Dimension:	115 (H) x 23 (D) x 75 (W) mm
Available In:	EL-T1103EM 125kHz EM Card

## Can Be Paired With: MX-63 Single Door Access Controller

